

**DESCRIPTION**

# A TELEPHONE FOR SEARCHING MEMORY CONTENT USING A SIMPLE USER OPERATION

5

## INDUSTRIAL FIELD OF USE

10

## RELATED ART

15

15           Telephones with a phone book have an internal rewritable  
memory storing data such as names (of individuals or  
companies) and associated telephone numbers. Data for  
parties frequently called by the user may be entered in the  
memory. After the data is entered, the user can display it  
20 on a display screen and make a call by performing certain  
operations.

The following explains the procedure for such operations.

One simple method involves the user pressing a phone book key

*(The following are the names of the persons who have been appointed as members of the Board of Directors of the Corporation since the last meeting of the Board.)*

(or, in certain telephones, a call key). This causes one part of the data stored in the memory, for example the name and telephone number for one entry in the phone book, to be displayed. If the user presses a next screen key or a  
5 previous screen key data for another entry is displayed, so that the user can display a desired piece of data by repeatedly pressing the next screen or previous screen keys. When the screen keys are repeatedly pressed in this manner, pieces of data can be displayed in order, for example in  
10 alphabetical order for the Japanese syllabic alphabet (an alphabet having fifty characters, also referred to as kana) and for the Roman alphabet.

The above procedure is useful when there are few recorded entries, but when there are many recorded entries, it takes a  
15 long time to display the desired data. Data for hundreds of entries can be recorded in modern telephones, so this is a significant problem.

As a result, some conventional telephones have adopted a specific search function. The operating procedure for this  
20 function starts with the user pressing the phone book key, thereby putting the telephone into phone book search mode. A prompt, such as 'Name?' is displayed on the screen. Next, the user inputs the initial character of the name they want

to display using one of the numeric keys, the telephone memory is searched for corresponding pieces of data, and one entry from the search result is displayed. To input an initial character, the user needs to press one of the numeric  
5 keys at least once (the letter B for example, is obtained by pressing the '2' key twice). Following this, the user can display the desired data from amongst the specific data by pressing the next screen and previous screen keys.

10 The specific search function enables specific data to be displayed, so this function is useful when a large quantity of data is recorded.

However, a phone book that uses a conventional specific search does not operate very effectively. This is because the user needs to perform the operation for switching to  
15 phone book mode, followed by the operation for inputting a key (initial character or characters) for the specific search. Here, the operation for switching to phone book mode is performed by pressing the phone book key, or by calling up a menu, and selecting the phone book mode from the menu.  
20 Once the telephone has been switched to phone book mode, input of a key for making the search more specific is performed by pressing one or more numeric keys a plurality of times.

In addition to it being difficult for the user to remember the procedure for performing these operations, it takes a long time to obtain the desired search result.

The object of an invention that overcomes the above  
5 problems is to provide a telephone that performs a high-speed  
search of a memory storing phone book data, using a simple  
operation that causes the user no difficulties.

## DISCLOSURE OF THE INVENTION

10           In order to achieve the above object, the telephone of  
the present invention may include the following. A storage  
unit stores names to be called and corresponding telephone  
numbers. An operating unit that includes a plurality of  
numeric keys that are each assigned different characters,  
15       receives key operations made by a user. A searching unit  
searches the storage unit, when a numeric key on the  
operating unit is pressed for at least a predetermined time,  
for names that include a character assigned to the pressed  
numeric key. A display means displays a search result.

20 By using this construction when searching the phone book, a user is able to perform a search and display a search result simply by pressing a key for at least a specified time; in other words by performing a long key press of the

numeric key to which the character that is the search object is assigned. Therefore, the user can actually perform both an operation for switching to phone book mode and an operation for indicating characters for making an indexed  
5 search simply by making one long key press. This means that phone book searches can be executed extremely easily, thereby reducing the user operation time, and enabling searches to be performed more quickly.

Furthermore, the searching unit may hold the search  
10 result in the form of a list of names found in the search, and the display means updates a display with at least one name from the name list that is not currently displayed, when the operating unit receives a display updating operation.

If the number of names in the search result is greater  
15 than the number of names that can be displayed by the display means, the above construction enables the user to scroll the display for sequential reference by using a display updating operation.

Furthermore, the operating unit may have a display update  
20 key for updating the display of the search result; and the display updating operation is a press of the display update key.

In this construction, the display of the search result is

scrolled by pressing a display update key.

The storage unit further stores group classifications corresponding to the names. Each group classification is assigned to one of the numeric keys, and when the operating  
5 unit receives a second key press of the same key for at least the predetermined time, the searching unit finds names having a group classification assigned to the pressed numeric key.

In this construction, when names and telephone numbers are stored in the storage unit in groups, the user can  
10 perform a group search simply by a second press of one numeric key that indicates a specific group.

The operating unit further has up and down keys, and the display updating operation may be a press of one of the up and down keys for at least the predetermined time. The  
15 display unit updates the display by (1) displaying names from the name list that follow the currently displayed names, when the down key is pressed for at least the predetermined time, and (2) displaying names from the name list that precede the currently displayed names, when the up key is pressed for at  
20 least the predetermined time.

This construction enables a desired search object to be displayed by sequentially pressing a combination of the up key and the down key to scroll the displayed search result.

The display updating operation may be a second press of a numeric key for at least the predetermined time.

In this construction, the displayed search result is scrolled by pressing a same numeric key that previously received a long press. When using a mobile phone, the user can display a desired search object simply by pressing a numeric key for the required number of times, without needing to move either the phone itself or the finger pressing the numeric key.

The display unit may further display a predetermined number of names from the names found by the searching means, one of the displayed names being in a selection state. The name in the selection state is displayed differently to other names. When a selection changing operation is received by the operating unit, the display unit places another name that is currently being displayed into the selection state.

This construction enables the user to move the selection state from the currently selected name to another name.

The operating unit may further have a select key for moving the selection state, and the selection changing operation is a press of the select key.

In this construction, the selection state is moved by pressing a select key.

The operating unit has up and down keys, and the selection changing operation may be a press of one of the up and down keys lasting for less than the predetermined time. The display unit places in the selection state (1) a name  
5 displayed following a name currently in the selection state, when the down key is pressed for less than the predetermined time, and (2) a name displayed preceding a name currently in the selection state, when the up key is pressed for less than the predetermined time.

10 In this construction, a desired search object can be placed into the selection state by sequentially pressing a combination of the up and down keys.

The selection changing operation may be a second press of the same numeric key that was previously pressed for at  
15 least the predetermined time.

This construction enables the selection state to be moved each time a key that previously received a long press is pressed. Therefore, the user can actually perform operations for switching to phone book mode and for indicating  
20 characters for an indexed search, and then move the selection state, simply by one long key press followed by a repeated operation of the same key. This means that phone book searches can be executed very easily and speedily. This is



especially relevant when the user is operating a mobile phone. Here, once a numeric key has been pressed, the operations from the start of a search for a desired search object to placing an object in the selection state can be performed in one continuous operating sequence, without it being necessary to change the position of the phone or the finger used to press the numeric key.

The telephone may also include a calling unit for reading from the storage unit, when a call operation is received from the operating means, a telephone number corresponding to a name on the display unit currently in the selection state, and calling the telephone number.

This construction enables the telephone to call a telephone number for a name displayed as part of the search result. As a result, a user can use the phone book to make calls in a short time and using a simple operation.

The call operation may be a repeated press, for a predetermined number of times within a predetermined period, of the same numeric key that was previously pressed for at least the predetermined time.

This construction enables the user to call the telephone number of a desired search object by performing a so-called double click operation on a same numeric key that previously

**SECRET**

received a long key press. This is especially relevant when the user is operating a mobile phone. Here, once a numeric key has been pressed, the operations from the start of a search for a desired search object to placing an object in the selection state can be performed in one continuous operating sequence, without it being necessary to change the position of the phone or the finger used to press the numeric key.

#### 10 BRIEF DESCRIPTION OF DRAWINGS

Fig. 1 is a block diagram showing a construction of a telephone in a first embodiment of the invention;

Fig. 2 shows an example of a phone book table stored in a storage unit;

15 Fig. 3 is an outline drawing of an operating unit;

Figs. 4A to 4D show example display screens for a display panel;

Fig. 5 shows examples of storage content for a working memory;

20 Fig. 6 is a flowchart showing an outline of processing performed by a control unit;

Fig. 7 is a flowchart showing the search processing of Fig. 6;



BEST MODE FOR CARRYING OUT THE INVENTION

***First Embodiment***

*Construction of Mobile Telephone*

Fig. 1 is a block diagram showing an example construction  
5 for a mobile telephone in a first embodiment of the  
invention.

The telephone in the drawing includes a radio unit 11, a  
modem 12, a TDMA (Time Division Multiple Access) processing  
unit 13, a D/A, A/D converter 14, an audio processing unit  
10 15, a speaker 16, a microphone 17, a storage unit 18, an  
operating unit 19, a display unit 20 and a control unit 21.

The radio unit 11 has a PLL (Phase Locked Loop) frequency  
synthesizer 11b, and RF/IF (Radio Frequency/Intermediate  
Frequency) units 11a and 11c. The PLL frequency synthesizer  
15 11b generates a local oscillation frequency signal  
determining the carrier wave frequency for transmission. On  
receiving a high frequency signal from an antenna, the RF/IF  
unit 11a changes this high-frequency signal to a baseband  
signal via an intermediate frequency. On performing  
20 transmission, the RF/IF unit 11c changes a baseband signal to  
a high-frequency signal.

The modem 12 performs modulation and demodulation between  
the radio unit 1 and the TDMA processing unit 13 using, for

example,  $\pi/4$  shift QPSK (Quadrature Phase Shift Keying).

5 The TDMA processing unit 13 performs time-division multiplexing on four duplex channels by dividing 5 ms time periods into eight timeslots and allocating four slots to upstream communication and four slots to downstream communication. This method is used in PHS (Personal Handy phone System) phones. Other time-division multiplexing schemes may also be used. One example is a scheme in which 40 ms time periods are divided into six timeslots for each of an upstream and a downstream carrier, and time-division multiplexing performed on six duplex channels by allocating six slots to upstream communication and six slots to downstream communication (Personal Digital Cellular standard, half-rate). Alternatively, time-division multiplexing may be performed using two upstream and two downstream slots (Personal Digital Cellular standard, full-rate).

The audio processing unit 15 performs processing such as the input/output and amplification of audio signals via the speaker 16 and the microphone 17.

20 The storage unit 18 is memory such as EEPROM, and stores a phone book table. The phone book table is a list of a plurality of phone book records, each consisting of a registration number, name, telephone number and group number.

Each phone book record is entered by the user. Fig. 2 shows an example of a phone book table stored in the storage unit 18. In this example, each line shows the details for one phone book record, and the total number of phone book records stored is 15. The registration numbers in the first column are attached by the control unit 21 in the order that entries are recorded, starting with 001, 002 and so on. The second and third columns store names and telephone numbers, ie. the names of individuals or companies and associated telephone numbers. The column on the extreme right shows group numbers, which are catalog numbers attached by the user classifying the phone book records into groups such as 'business' or 'personal'. In Fig. 2, phone book records are classified using numbers, but simple illustrations and icons may alternatively be used.

The operating unit 19 has a plurality of keys used by the user in instructing the control unit 21 to perform a variety of processes, such as searching the phone book table, displaying names, telephone numbers and the like, calling, and making an entry in the phone book table. Fig. 3 is an outline drawing of the operating unit 19. In the drawing, the operating unit 19 includes a talk key 301 for calling, an end key 302 for ending a call or an operation, a numeric

keypad 303, and search keypad 304 for displaying a next screen and moving the cursor. The following explanation concentrates on the numeric keypad 303 and the search keypad 304.

5       The user uses the numeric keypad 303 to enter records into the phone book table and search the phone book table, as well as to input telephone numbers when making calls. As shown in Fig.3, each key in the numeric keypad 303 is assigned certain kana and letters of the alphabet. For  
10       example, the kana character 'カ' (ka) and the letters 'ABC' are written on the '2' key, in addition to the number '2'. This indicates that the kana 'カキクケコ' (ka,ki,ku,ke,ko: the characters in the second row of the Japanese syllabic alphabet) and the three letters A, B and C are assigned to  
15       this key.

When any one of the numeric keys on the numeric keypad 303 is pressed for at least a specified time (for example two seconds or more), the control unit 21 treats the key operation as a phone book table search instruction. This  
20       means that the control unit 21 sets the telephone in phone book mode, performs a search of the phone book table based on the characters or the number assigned to the key being pressed, and displays part of the search result. In the

embodiments, a key press of at least the specified time is also referred to as a 'long press' and one shorter than the specified time as a 'short press'.

Alternatively, when a key press is less than the specified time (for example less than 2 s), the control unit 21 treats the key operation as telephone number input when making a call or as input for making an entry into the phone book table.

The search keypad 304 has a next screen key 305, and a  
10 cursor move key 306.

In phone book mode, the key 305 is treated as a next screen key rather than a down (▼) key. This means that when the next screen key 305 is pressed in phone book mode, the key operation is received by the control unit 21 as an operation for switching the display screen of the display unit 20 to a next display screen displaying a further part the search result.

In phone book mode, the key 306 is treated as a cursor  
move key rather than an up ( $\Delta$ ) key. This means that when the  
20 cursor move key 306 is pressed in phone book mode, the key  
operation is received by the control unit 21 as an operation  
for shifting a cursor (inverted display line) displayed on  
the name list down to a next line. In the embodiments, a



cursor is a line of the name list whose display has been inverted to indicate that it has been selected by the user.

The display unit 20 is a liquid crystal display panel or similar displaying text and graphics. The display unit 20 displays such items as the name list selected from the phone book table by the control unit 21, telephone numbers, user key input, an antenna strength indicator and a battery level indicator.

Figs. 4A to 4D show example display screens of the display unit 20. In Fig. 4A, a numerical reference 401 shows the antenna strength indicator and a numerical reference 402 shows the battery level indicator. A name list 403 selected from the phone book table includes three names. The cursor is placed over the second name, 'キクコ' (Kikuko), so that the characters are displayed inverted. When the cursor is placed over an item in this way, it is described as being in a selection state.

When the user moves the cursor displayed in Fig. 4A to the next line by pressing the cursor move key 306 on the operating unit 19, it is displayed as in Fig. 4B.

The display content of the name list can be switched by pressing the next screen key 305. An example of a display that has been switched to a next screen is shown in Fig. 4C.

If the talk key 301 or a display switch key (not shown) is pressed when the name list is being displayed, the name currently in the selection state is displayed on the display unit 20, along with a corresponding registration number and telephone number. For example, if the talk key 301 is pressed when the screen of Fig. 4A is being displayed, the screen of Fig. 4D is displayed on the display unit 20.

The control unit 21 is formed from a microcomputer with internal ROM and RAM, and controls the telephone by executing various programs stored in ROM.

The control unit 21 receives presses of keys on the operating unit 19 as input. Here, the control unit 21 measures the length of a key press, and performs certain specified processing (explained later in this description) depending on whether the measured key press length is longer than the specified time, in other words on whether the press is a long press or a short press.

The control unit 21 has an internal working memory and flag memory, the former used for sorting and storing phone book records obtained as the search result. The flag memory stores a phone book mode flag M showing whether the telephone is in phone book mode or non-phone book mode, and a search mode flag F showing whether the telephone is in indexed

search mode or group search mode. The control unit 21 sets the values of the flags M and F at 0 or 1, depending on the user operation and current status. The flag M is set at 1 in phone book mode, and 0 in non-phone book mode, while the flag F is 0 in indexed search mode and 1 in group search mode.

Here, an indexed search conducted in indexed search mode is a search for phone book records made by referring to the initial character of names in the phone book table, and a group search is a search for phone book records made by referring to group numbers in the phone book table.

The control unit 21 primarily performs the following processing:

- (1) Search processing
- (2) Display processing
- (3) Call processing
- (4) Standard telephone processing

The above processing is performed in response to combinations of the following: the values of the two flags M and F, the length of a key press for a key on the operating unit 19, and the type of key pressed.

The processing of (4) is performed by the control unit 21 when the telephone is in non-phone book mode, that is if a short press is received when the phone book mode flag M is 0.

2025 RELEASE UNDER E.O. 14176

This processing includes processing for standard phone operations, such as recording answerphone messages, inputting telephone numbers, and making calls using input telephone numbers. Explanation of such processing is omitted from the following detailed description of the processing in (1) to (3).

#### (1) Search Processing

Upon receiving a long press of one of the numeric keys on the numeric keypad 303, the control unit 21, if the current mode is non-phone book mode ( $M=0$ ), switches to phone book mode ( $M=1$ ), and searches the phone book table in indexed search mode. If a long press of one of the numeric keys is received when the telephone is already in phone book mode, the control unit 21 searches the phone book table after switching the value of the search mode flag  $F$ . This means that search processing is performed after the flag  $F$  is switched to either group search mode, if the current search mode is indexed search mode ( $F=0$ ), or to indexed search mode, if the current search mode is group search mode ( $F=1$ ).

The following is a detailed explanation of the search processing, using Fig. 5 as an actual example. Note that the phone book table stored in the storage unit 18 is the one in

Fig. 2.

If the telephone is in non-phone book mode ( $M=0$ ), or in group search mode ( $F=1$ ) when in phone book mode ( $M=1$ ), the control unit 21, upon receiving a long press of the '2' key on the numeric keypad 303, switches to indexed search mode ( $F=0$ ) and performs an indexed search. In other words, the control unit 21 searches the phone book table in Fig. 2 for phone book records that start with a character from the 'ka' row of the katakana alphabet (ka, ki, ku, ke, ko) or with A, B and C; in other words for character strings assigned to the '2' key. Then the control unit 21 attaches record numbers to the phone book records in the searched order, and stores them in the working memory. Furthermore, in indexed search mode, the control unit 21 sorts the names in the searched records into alphabetical order for each of the Japanese and Roman alphabets, thereby writing over the content of the working memory so that it appears as in Fig. 5B.

When the telephone is in phone book mode ( $M=1$ ) and the search mode is the indexed search mode ( $F=0$ ), the control unit 21, upon receiving a long press of the '1' key on the search keypad 303, switches to group search mode ( $F=1$ ) and performs a group search. This means that the control unit 21 searches the phone book table for phone book records having a

group number 1. The control unit 21 attaches record numbers to these records and stores them in the working memory. The content of the working memory at this time is shown in Fig. 5C.

5

## (2) Display Processing

After performing the search processing, the control unit 21 alters the display of the display unit 20 depending on which of the next screen key 305 or the cursor move key 306 is pressed when the telephone is in phone book mode (M=1), as explained below.

After the search processing is completed, the control unit 21 reads the first three phone book records stored in the working memory, that is records 001 to 003, and displays the names from these records on the display unit 20.

When receiving a press of the next screen key 305 in phone book mode, the control unit 21 reads from the working memory the three records directly following those currently displayed and displays the names from the read records on the display unit 20. Suppose that the names from the three records 001 to 003 are currently displayed on the display unit 20. In this case, if the next screen key 305 is pressed, the control unit 21 displays the names from the

subsequent records 004 to 006.

When receiving a press of the cursor move key 306 in phone book mode, the control unit 21 moves the cursor one line down from its currently displayed position on the display unit 20. If the cursor is positioned on the third line of the display, it moves to the first line when the cursor move key 306 is pressed.

### (3) Call Processing

When receiving a press of the talk key 301 in phone book mode (M=1), the control unit 21 reads a record corresponding to the name currently selected by the cursor from the working memory, and displays the selected registration number, name and telephone number on the display unit 20, while simultaneously using the telephone number to make a call.

### *Processing Flow for the Control Unit 21*

Fig. 6 is a flowchart showing an outline of processing performed by the control unit 21 in response to combinations of the following: the values of the mode flags M and F, the length of time that a key on the operating unit 19 is pressed, and the type of key pressed.

Note that when a key press is generated during the

processing shown in the flowcharts of Figs. 6 to 9, the control unit 21 treats this as an interrupt, branching from the current processing sequence to S601.

Upon receiving a key press from the operating unit 19 (S601), the control unit 21 determines whether this key press is a long press of one of the numeric keys on the numeric keypad 303 (S602). If it is such a long press, the control unit 21 switches or sets the values of the mode flags M and F, depending on their current values (S604, S605). This means that if the phone book mode flag M is 0 (non-phone book mode), the control unit 21 switches the phone book mode flag M to 1 (telephone mode), and sets the search mode flag F at 0 (indexed search mode) (S605). On the other hand, if the phone book mode flag M = 1 (phone book mode), the control unit 21 switches the search mode flag F to 1 (group search mode) if the flag is currently set at 0 (indexed search mode) and to 0 (indexed search mode) if it is currently set at 1 (group search mode) (S604).

After switching and setting the values of the mode flags M and F, the control unit 21 performs search processing depending on the values of M and F and the numeric key that is being pressed (S606). The control unit 21 then displays the part of the search result (S607).



When the control unit 21 determines that the key press from the operating unit 19 is not a long press (S602: No) and the phone book mode flag M is 0 (non-phone book mode) (S608: Yes), it performs standard telephone processing (S610).

5        If the phone book mode flag M is 1 at S608, the control unit 21 performs processing depending on the type of key being pressed (individual key processing) (S609).

The search processing, display processing and individual key processing in the above flowchart are explained below  
10       with reference to the flowcharts in Figs. 6 to 8.

#### *Search Processing Flow for the Control Unit 21*

Fig. 7 is a flowchart showing the search processing in Fig. 6.

15        The control unit 21 determines from the value of the search mode flag F whether an indexed search or a group search is to be performed (S701).

If the control unit 21 determines that a group search should be performed, it reads, from the phone book table in  
20       the storage unit 18, phone book records whose group number matches the number of the key pressed on the numeric keypad 303. The control unit 21 attaches record numbers (R=001, 002 and so on) to the read records and stores them into the

working memory (S704, S705).

If the control unit 21 determines that an indexed search should be performed at S701, it reads, from the phone book table stored in the storage unit 18, phone book records with  
5 a name whose first character matches the characters assigned to the key pressed on the numeric keypad 303. The control unit 21 then attaches provisional record numbers to the records in the order that they are read from the storage unit 18 and stores them in the working memory (S702).

10 The control unit further sorts the records in katakana and Roman letters into their respective alphabetical orders, and attaches a record number R to each record (S703, S705).

After processing for the search mode concerned has been performed as described above, the control unit 21 makes  
15 initial display settings (S706). This means that variables R and C used in the display processing are set at 1. Here, variable R is a pointer indicating a record number, and variable C is a pointer indicating a cursor position.

20 *Display Processing Flow for the Control Unit 21*

Fig. 8 is a flowchart showing the display processing of Fig. 6.

The control unit 21 determines whether the value of the

variable R exceeds the total number of phone book records (S801). If R does exceed the total number, the control unit 21 sets R at 1 (S802).

The control unit refers to the variable R, reads  
5 telephone records with the record numbers R, R+1 and R+2, and displays the names from those records on the display unit 20. Then the control unit 21 refers to the variable C and inverts the line indicated by the variable (cursor display) (S803).

10 *Individual Key Processing Flow for the Control Unit 21*

Fig. 9 is a flowchart showing the individual key processing in Fig. 6.

Upon receiving a key press of the next screen key 305 from the operating unit 19 (S901), the control unit 21 adds 3  
15 to the variable R (S902), and then performs the display processing in Fig. 8 (S607). The control unit 21 updates the display of the display unit 20 by referring to this increased value of R.

Upon receiving a press of the cursor move key 306 from  
20 the operating unit 19 (S904), the control unit 21 adds 1 to the variable C (S905), and performs display processing in the same way as when the next screen key 305 is pressed (S607). The control unit 21 updates the cursor display on the display

unit 20 by referring to this increased value of C. Here the value of C can be 1, 2 or 3. When the result of adding 1 to the value at S905 is 4, the variable C is returned to 1.

Upon receiving a press of the talk key 301 from the  
5 operating unit 19 (S906), the control unit 21 reads a telephone number from the record corresponding to the name currently in the selection state, and makes a call using this number (S907). Here, the control unit 21 displays the name on the display unit 20, along with the corresponding  
10 registration number and telephone number.

After making a call, the control unit 21 sets the phone book mode flag M at 0 (non-phone book mode), thereby terminating phone book mode (S908).

Upon receiving a press of the end key 302 from the  
15 operating unit 19 (S909), the control unit 21 sets the phone book mode flag M at 0 (non-phone book mode), thereby terminating phone book mode (S908).

As the above explanation makes clear, the invention achieves the object of providing a telephone that performs a  
20 phone book search using a simple and trouble-free user operation.

Note that this embodiment is described as a construction for a mobile telephone, but the same construction may also be

used for a household telephone, a PHS or similar.

In this embodiment, three new records from the working memory in the control unit 21 are displayed when the next screen key 305 is pressed, and the cursor moves to the next line when the cursor move key 306 is pressed, but operations performed when the search keys are pressed need not be limited to these. The following operations may also be performed.

For convenience, the next screen key 305 and the cursor move key 306 will hereafter be referred to as the down key 305 and the up key 306. The content of the working memory in the control unit 21 is that shown in Fig. 10A.

After storing a phone book record group (Fig. 10A) searched from the storage unit 18, the control unit 21 displays names from the records with record numbers 001, 002 and 003. If the down key 305 or up key 306 is then pressed, the control unit 21 determines whether the key press is a long press.

If the key press is not a long press, the control unit 21 moves the cursor as shown in Fig. 10B, so that the cursor is moved one line down (Fig. 10B ①-②) when the key press is of the down key 305, and one line up (②-①) when the key press is of the up key 306. If the cursor is on the third line

(Fig. 10B ②) when the control unit 21 receives a press of the down key 305, the control unit 21 deletes the displayed names from the record numbers 001, 002 and 003 from the screen, displays the names from the record numbers 004, 005 and 006, and displays the cursor on the first line (Fig. 10B ③). If the cursor is on the first line when the control unit 21 receives a press of the up key 306, the control unit 21 deletes the displayed names from the record numbers 004, 005 and 006 from the screen, and displays the names from the record numbers 001, 002 and 003, with the cursor displayed on the third line (Fig. 10B ②).

When the key press of the down key 305 or the up key 306 is determined to be a long press, the control unit 21 performs display processing as shown in Fig. 10C. That is, when the key press is of the down key 305, the control unit 21 deletes the displayed names from the record numbers 001, 002 and 003 from the screen, and displays the names from record numbers 004, 005 and 006 (Fig. 10C ④-⑤). If the up key 306 is pressed, the control unit 21 deletes the currently displayed names from the display unit 20, and displays names from record numbers lower than those currently displayed. In other words, when names from record numbers 004, 005 and 006 are currently being displayed, the control unit 21 displays

names from the record numbers 001, 002 and 003 (Fig. 10C  
⑤→④).

Here, when a long press is made, the cursor is displayed  
on the first line of the new display screen, regardless of  
5 which line it was displayed on in the previous screen. When  
for example, the cursor is displayed on the second line, as  
in Fig. 10C ⑥, and the down key 305 is pressed, the screen  
shown in Fig. 10C ⑤, is displayed, and when the cursor is  
displayed as in Fig. 10C ⑦ when the up key 306 is pressed,  
10 the screen in Fig. 10C ⑤ is displayed.

### ***Second Embodiment***

#### *Construction of a Mobile Telephone*

Fig. 11 is a block diagram showing an example  
15 construction for a mobile telephone in a second embodiment of  
the invention.

In Fig. 11, components identical to those in Fig. 1 have  
the same numerical references. In addition, the phone book  
table stored in the storage unit 18, shown in Fig. 2, and the  
20 outline drawing of the operating unit 19 shown in the Fig. 3,  
both used in the first embodiment, are the same in this  
embodiment.

The following explanation omits all characteristics which





unit 221 treats this key press as a command for shifting the cursor down to a next line of the displayed name list. In other words, a short press of a previously-pressed numeric key performs the same function as a press of the down key

5 305.

Fig. 12A to 12D show examples of display screens on the display unit 20 updated using these key operations.

Fig. 12A shows a situation when the user has made a long press of the numeric key '2', putting the telephone into phone book mode, and performing an indexed search. The cursor is

10 currently positioned over the second name 'キクコ' (Kikuko) in the name list.

If a short key press is then made of the same key that was pressed for the long press (in this case the '2' key), the

15 cursor is shifted down to the next line, and places the next name in the search result, 'ABC Ltd', in the selection state, as shown in Fig. 12B.

Suppose another short key press of the same key (i.e. the '2' key) is made. Here, the next line of the search result

20 'AD' is not currently displayed, so the display is updated to display the next three records, and 'AD' is placed in the selection state. In this case, the display screen is scrolled down three lines (the number of lines that can be

displayed on the screen).

Note that pressing the down key 305, rather than the '2' key as shown in Fig. 12A and 12B, would update the display in the same way.

5       The control unit 221 has a working memory and performs the search processing (1), call processing (3) and standard telephone processing (4), in the same way as the control unit 21 in the first embodiment, but the display processing (2) differs from the first embodiment.

10       The following is an explanation of the display processing (2).

Following search processing, the control unit 221 reads the first three phone book records stored in the working memory, in other words records 001 to 003, and displays the  
15       names corresponding to these records.

When another short press is made of the same numeric key that initiated the search for the currently displayed results, the control unit 221 moves the cursor down one line from its current display position. Here, if the cursor is  
20       already positioned on the lowest line (the third line) of the screen, the display is updated to the next three records from the search result, and the cursor moved to the first line.

### *Outline Processing Flow for the Control Unit 221*

Fig. 13 is a flowchart showing the content of processing performed by the control unit 221 depending on the length of a key press and the type of key pressed.

5       The control unit 221 detects a key press via an interrupt generated when the key is pressed, and determines whether the detected key press is of one of the keys in the numeric keypad 303 (S601). If one of the keys in the numeric keypad 303 has been pressed, the control unit 221 determines whether  
10       the press is long or short (S602).

      If the press is determined to be a long press, the control unit 221 reads, from the phone book table, phone book records having a name whose initial character matches the characters assigned to the pressed numeric key. The control  
15       unit 221 then attaches provisional record numbers to the records in the order in which they are read, and stores them in the working memory (S604).

      The control unit 221 further sorts the phone book records stored in the working memory into a predetermined order  
20       (alphabetically in terms of both the syllabic and Roman alphabets) and attaches record numbers R to the records from the start of the alphabetically arranged list (S605).

      Following this, the control unit 221 makes initial

display settings (S606). In other words, it sets variables R and C used for display at 1. Here, the variable R is a pointer indicating a record number, and the variable C is a pointer indicating a cursor position.

5       Next, the control unit 221 performs the following display processing.

      The control unit 221 refers to the variable R, reads phone book records with the record numbers R, R+1 and R+2, and displays the names from the records on the display unit  
10   20. Here, the number of phone book records read is determined according to the number of display lines on display unit 20. If there are four display lines, for example, four phone book records are read.

      The control unit 221 further refers to the variable C,  
15   and uses the cursor to select the name on the line indicated by the value of C (S608).

      Following this, the control unit 221 determines whether a pressed key is the same key on which the long press was made (S609), and if the same key has been pressed, moves the  
20   cursor down one line. Here, the control unit 221 determines whether the cursor is currently positioned on the last line of the display unit 20 (S610). If the cursor is positioned on the last line, the control unit 221 increases the variable

R by the number of display lines (here three) and returns the variable C to 1. This enables the next three lines of the search result to be displayed (S611). If the cursor is not positioned on the last line, the control unit 221 increases  
5 the variable C by 1 (S612). Then the control unit 221 returns to S608 and updates the display content. This kind of cursor movement can be performed in the same way when the down key 305 is operated, but it is more effective to operate the same key twice in succession.

10 Having displayed the desired phone book entry and selected it by shifting the cursor, the user presses the talk key 301 with the desired entry still in the selection state, thereby making a call. The control unit 221 detects that a call operation has been made (S609, S613), reads the record  
15 data for the selected line represented by the variable C and makes a call (S614).

Furthermore, should the operated key be a clear key (not shown), the display is cleared and the control unit 221 returns to S601 (S615). If the operated key is not the clear  
20 key, the control unit 221 shifts to call mode or setting mode, and receives standard processing commands (S603).

As the above explanation makes clear, the mobile telephone in this embodiment enables the user to search the

phone book using a simple and speedy and trouble-free operation.

This embodiment refers to the construction of a mobile telephone, but may also be applied to the construction of a household telephone, a PHS or similar.

### ***Third Embodiment***

The following is an explanation of a third embodiment, a mobile telephone in which a function for updating the display at high speed using a long press is included in the display processing.

In the second embodiment, when a key on which a long press was previously made is operated again, the cursor is shifted without determining whether this second key operation is a long press or a short key press, as is shown in S609 of Fig. 13. In this embodiment, however, the control unit 221 controls processing so that the display is scrolled if the second key operation is a long press and the cursor moved if the second key operation is a short key press.

Fig. 14 is a flowchart showing the processing content performed by the control unit 221 in this embodiment. In the drawing, steps identical to those shown in Fig. 13 are given the same numerical references. Explanation of these steps is

omitted from the following description, which concentrates on those steps unique to this embodiment.

Steps S609 onwards are unique to this embodiment, and so the following description explains those steps.

5       The control unit 221 determines whether the operated key is the same as that operated for a previous long press (S609). If the same key is operated, the control unit 221 then determines whether the operation is a long or short press (S616). If the key operation is a long press, the  
10       control unit 221 increases the variable R (the pointer indicating phone book records) by 3, and returns the variable C (the pointer indicating the cursor position) to 1. This enables the next three records from the search result to be displayed (S611). Then, the control unit 221 returns to  
15       S608, and updates the display; i.e. shows the next three records from the search result.

Meanwhile, if the key operation is a short (standard) key press rather than a long press, the control unit 221 moves the cursor display position, selecting the next line down.  
20       In this processing, the control unit 221 first determines whether the current cursor display position (C) is on the last line of the display unit 20 (in the case of this embodiment whether C=3) (S610). If the cursor is on the last

line (C=3), the control unit 221 increases the value of R by the equivalent of one display screen (in these embodiments by 3) and returns the cursor display position to 1 (C=1). This enables subsequent records to be displayed (S611).

5        If the cursor is not on the last line, the control unit 221 increases the value C indicating the cursor display position by 1, enabling the cursor display position to be shifted without scrolling down the screen (S612). Then, the control unit 221 returns to S608 and repeats the same  
10        processing. This enables the cursor display position to be shifted down the entries listed in the search result one line at a time. Shifting the cursor down the search result in this way can also be performed by operating the down key 305, but successively operating the same key enables a more  
15        efficient search to be performed.

During display processing, as explained above, the control unit 221 scrolls the display when a same key is operated using two successive long presses, and moves the cursor when a same key is operated using successive long and  
20        short key presses. This enables the user to perform a high-speed search simply by pressing the same numeric key twice in succession.



#### ***Fourth Embodiment***

A mobile telephone further capable of performing call operations by pressing a key that was previously operated using a long press is explained in a fourth embodiment.

5        Fig. 15 is a flowchart showing the processing content for the control unit 221 relating to this embodiment. In the flowchart, steps having the same processing content as steps in Figs. 13 and 14 have the same numerical references. Explanation of these steps is omitted here, and the following  
10       description concentrates on those points unique to this embodiment. As a result, the explanation of Fig. 15 begins at S609.

      The control unit 221 determines whether the operated key is the same as that operated for a previously long press  
15       (S609). If the same key is operated, the control unit determines whether the key operation is a long press (S616). If the key operation is a long press, the control unit 221 increases R by the equivalent of one display screen (in this embodiment 3), and returns the cursor display position to 1.  
20       This enables the next three records from the search result to be displayed (S611). Then, the control unit 221 returns to S608. Repetition of this procedure enables a high-speed search to be performed.

Meanwhile, if the key operation is not a long press, the control unit 221 determines whether the key has been pressed twice within a designated time (a so-called 'double click') (S617). If the key operation is determined to be a double  
5 click, the control unit 221 treats this as a call command, shifts to S614 and performs the call processing of S614.

If the key operation is not a double click, but a standard key operation, i.e. a short key press, the control unit 221 moves the selected cursor position to the next line  
10 down.

As explained above, the user may instruct the telephone to perform call processing by double-clicking a numeric key rather than pressing the talk key 301. Thus, the user can switch the telephone to phone book mode and perform a range  
15 of operations, from shifting a cursor to making a call, simply by operating the same numeric key using a long press followed by one of a short press, another long press or a double click.

## 20 INDUSTRIAL APPLICABILITY

The telephone in the present embodiment has a storage unit storing names and associated telephone numbers in a phone book, and an operating unit including a plurality of

